



Bridgeport COVID-19 Epidemiology Report as of 8/23/2022




*Data are incomplete




*Data are incomplete

Bridgeport Bi-weekly COVID-19 Incidence Rate Per 100,000 Since February 1, 2022




Seven Day Average COVID-19 Cases in Bridgeport Since February 1, 2022




*Data are incomplete


Seven Day Rolling Average Percentage Positive Tests for COVID-19 in Bridgeport Since February 1, 2022




Total COVID-19 Tests Per Week in Bridgeport Since February 1, 2022



Number of COVID-19 Cases in Bridgeport by Age Group Since July 1, 2020




Number of COVID-19 Cases per Week by Age Group in Bridgeport Since February 1, 2022




*Data are incomplete


Number of Bridgeport COVID-19 Cases by Zip Codes Since July 1, 2020




Number of COVID-19 Cases by Race/Ethnicity in Bridgeport Since July 1, 2020



Number of COVID-19 Cases by Gender in Bridgeport Since July 1, 2020



Number of COVID-19 Cases by Gender in Bridgeport Since February 1, 2022



Summary:

Counts of cases of COVID-19 increased throughout June and July and remained steadily high throughout August. This trend is apparent in all metrics of case counts and rates - while some show a drop off in the last days of August, this may only be due to a lag in cases being reported. The daily number of tests being performed has remained lower than in previous months. When breaking down the COVID-19 cases by age, the age groups 20-29 years and 30-39 years have the highest number of cases. The weekly number of cases has remained steadily low in residents aged 60 or older while it is substantially higher in each of the younger age groups. With regard to the zip code distribution of the COVID-19 cases, zip code 06606 has the highest number of cases as expected due to its larger population. Lastly, both males and females have a similar number of cases of COVID-19, although it appears that more cases occurred in females in the end of July.